

RMET (Re-Mastered Engineered Timber)

Timber Species Colour Selection

Standard Planks

Finishing Top Coat : 7 Layers of UV Lacquer / Oiled Stain

Veneer Thickness : 0.5mm / 1mm / 2mm

Backing : Cushioned Back / Premium Foam 2mm

Size : 7.5mm / 9mm / 10mm

Width : 165mm / 170mm



Oak (Raw) (V2)



Wire-Brushed (V2)



Pre-Finished Oak (V2)



Teak (V1)



Walnut (V0.5)



Species : Oak (V2)

Laying Pattern : Herringbone

Wastage : Minimum 15% - 20%

Size : 10mm(T) x 100mm (W) x 900mm(L)

Note:

Ex-stock in Singapore, subjected to stock availability


All natural products being natural materials may vary in colour, tonality, texture, cuts (crown/quarter or mixed cuts). Therefore such variations are at all times acceptable and could not be considered as basis or defects.

2 Yishun Industrial Street 1, #05-20, Northpoint Bizhub, Singapore 768159

Tel : 6208 0135 , 6208 0136 Fax : 6208 0137

Website : www.u1floor.com

**PRODUCT COMPOSITION FOR
RE-MASTERED ENGINEERED TIMBER (REMET)**



U1 FLOOR PTE LTD

Reg. No: 201534108D

2 Yishun Industrial Street 1, #05-20 Northpoint Bizhub, Singapore 768159

Tel. No. : +65 6208 0135 / +65 6208 0136 Fax. No. : +65 208 0137

Email : u1floor@gmail.com

REMASTERED ENGINEERED TIMBER ADVANTAGES

1. **Core - Magnesium Oxide**
2. **100% Waterproof**
3. **100% Termite Proof**
4. **Floating system**
5. **Zero adhesive**
6. **Zero nail**
7. **Installation (5x) Faster**
8. **Easy Replacement/ Easy Reinstatement**
9. **Cushion Backing**
10. **Premium Feel**
11. **Sound Reduction**
12. **High Density**
13. **7 Layer Premium PU Lacquer
(For Pre-Finished Range)**
14. **Weight - 5x Heavier than Traditional Engineered Timber**

